VOLUME 70 · CONTENTS

No 1 JULY 1993

Page

Editorials

1 Therapeutic approaches to the control of fibrocellular intimal hyperplasia after angioplasty *J McEwan*

4 Why inotropes continue to disappoint in heart failure *P Wilmshurst*

5 Ischaemic heart failure: is prevention in sight? *K Chatterjee, P Collins*

Review

8 β Blockers and the failing heart: is it time for a U-turn? *Y Bashir, W J McKenna, A J Camm*

Commentaries

13 Safety of antiarrhythmic drugs in children *J M McComb*

15 Lyme carditis: a United Kingdom perspective *G A Haywood, S O'Connell, H H Gray*

Original articles

17 Lack of effect of nitrates on exercise tolerance in patients with mild to moderate heart failure caused by coronary disease already treated with captopril *S Wieshammer, M Hetzel, J Hetzel, M Kochs, V Hombach*

22 Evaluation of changes in myocardial perfusion and function on exercise in patients with coronary artery disease by gated MIBI scintigraphy *P Avery, N Hudson, P Hubner*

27 Cardiac release of chemoattractants after ischaemia induced by coronary balloon angioplasty *F-J Neumann, G Richardt, M Schneider, I Ott, H-M Haupt, H Tillmanns, A Schömig, B Rauch*

35 Endothelium dependent and independent responses in coronary artery disease measured at angioplasty *D R Holdright, D Clarke, P A Poole-Wilson, K Fox, P Collins*

43 QT interval variables from 24 hour electrocardiography and the two year risk of sudden death *A Algra, J G P Tijssen, J R T C Roelandt, J Pool, J Lubsen*

49 Heart rate, ischaemic heart disease, and sudden cardiac death in middle-aged British men *A G Shaper, G Wannamethee, P W Macfarlane, M Walker*

56 Amiodarone prophylaxis for tachycardias after coronary artery surgery: a randomised, double blind, placebo controlled trial *J Butler, D R Harriss, M Sinclair, S Westaby*

61 Efficacy of a tiered therapy defibrillator system used to treat recurrent ventricular arrhythmias refractory to drugs *A C Rankin, S Zaim, A Powell, B Zaim, R Brooks, B A McGovern, H Garan, J N Ruskin*

70 Complementary role of transoesophageal echocardiography to coronary angiography in the assessment of coronary artery anomalies *P J Giannoccaro, R A Sochowski, B C Morton, K-L Chan*

75 Angiographic diagnosis of anomalous coronary artery in tetralogy of Fallot *J S Carvalho, C M C Silva, M L Rigby, E A Shinebourne*

Audit

79 Cost effectiveness of prophylaxis in dental practice to prevent infective endocarditis *I M Gould, J K Buckingham*

Case reports

84 Acceleration of the ventricular response to atrial flutter by amiodarone in an infant with Wolff-Parkinson-White syndrome *J A Till, M Baxendale, A Benetar*

88 Complete heart block in a 9 year old girl caused by borreliosis *H P Gildein, S Günther, R Mocellin*

91 Proarrhythmic effect of adenosine in a patient with atrial flutter *A K B Slade, C J Garratt*

93 Varicella zoster myocarditis progressing to cardiomyopathy and cardiac transplantation *A Tsintsof, W J Delprado, A M Keogh*

Abstracts in cardiology • Correspondence • Book review • British Cardiac Society newsletter • Notice

No 2 AUGUST 1993

Page

Editorial

101 Are streptokinase antibodies clinically important? *M B Buchalter*

Reviews

103 Circulatory failure in septic shock *A J B Brady, P A Poole-Wilson*

106 Current approaches and future developments in automatic tachycardia detection and diagnosis *P S Astridge, G C Kaye, E J Perrins*

111 Cardiac amyloidosis: a review and report of a new transthyretin (prealbumin) variant *A Hesse, K Altland, R P Linke, M R Almeida, M J M Saraiva, A Steinmetz, B Maisch*

Commentary

116 Does weight loss reduce plasma fibrinogen? *E Ernst*

Original articles

119 Streptokinase neutralisation titres up to 866 days after intravenous streptokinase for acute myocardial infarction *S Patel, S Jalihal, D P Dutka, G K Morris*

122 Initial and long-term results of coronary angioplasty and coronary bypass surgery in patients of 75 or older *H Bonnier, C de Vries, R Michels, M El Gamal*

126 Determinants of success of coronary angioplasty in patients with a chronic total occlusion: a multiple logistic regression model to improve selection of patients *K H Tan, N Sulke, N A Taub, E Watts, S Karani, E Sowton*

132 Transient rise in serum interleukin-8 concentration during acute myocardial infarction *Y Abe, M Kawakami, M Kuroki, T Yamamoto, M Fujii, H Kobayashi, T Yaginuma, A Kashii, M Saito, K Matsushima*

135 Sustained cardiac diastolic changes elicited by ultrafiltration in patients with moderate congestive heart failure: pathophysiological correlates *M Pepi, G C Marenzi, P G Agostoni, E Doria, P Barbier, M Muratori, F Celeste, M D Guazzi*

141 Tumour necrosis factor α in severe congestive cardiac failure *D P Dutka, J S Elborn, F Delamere, D J Shale, G K Morris*

144 Heart rate variability and circulating catecholamine concentrations during steady state exercise in healthy volunteers *H-W M Breuer, A Skyschally, R Schulz, C Martin, M Wehr, G Heusch*

150 Chronotropic response to exercise in patients with atrial fibrillation: relation to functional state *M P van den Berg, H J G M Crijns, A T M Gosselink, S A J van den Broek, H J Hillege, D J van Veldhuisen, K I Lie*

154 Heterogeneity and time course of improvement in cardiac function after cardioversion of chronic atrial fibrillation: assessment of serial echocardiographic indices *J Shite, Y Yokota, M Yokoyama*

VOLUME 70 · CONTENTS

No 1 JULY 1993

Page

Editorials

1 Therapeutic approaches to the control of fibrocellular intimal hyperplasia after angioplasty *J McEwan*

4 Why inotropes continue to disappoint in heart failure *P Wilmshurst*

5 Ischaemic heart failure: is prevention in sight? *K Chatterjee, P Collins*

Review

8 β Blockers and the failing heart: is it time for a U-turn? *Y Bashir, W J McKenna, A J Camm*

Commentaries

13 Safety of antiarrhythmic drugs in children *J M McComb*

15 Lyme carditis: a United Kingdom perspective *G A Haywood, S O'Connell, H H Gray*

Original articles

17 Lack of effect of nitrates on exercise tolerance in patients with mild to moderate heart failure caused by coronary disease already treated with captopril *S Wieshammer, M Hetzel, J Hetzel, M Kochs, V Hombach*

22 Evaluation of changes in myocardial perfusion and function on exercise in patients with coronary artery disease by gated MIBI scintigraphy *P Avery, N Hudson, P Hubner*

27 Cardiac release of chemoattractants after ischaemia induced by coronary balloon angioplasty *F-J Neumann, G Richardt, M Schneider, I Ott, H-M Haupt, H Tillmanns, A Schömig, B Rauch*

35 Endothelium dependent and independent responses in coronary artery disease measured at angioplasty *D R Holdright, D Clarke, P A Poole-Wilson, K Fox, P Collins*

43 QT interval variables from 24 hour electrocardiography and the two year risk of sudden death *A Algra, J G P Tijssen, J R T C Roelandt, J Pool, J Lubsen*

49 Heart rate, ischaemic heart disease, and sudden cardiac death in middle-aged British men *A G Shaper, G Wannamethee, P W Macfarlane, M Walker*

56 Amiodarone prophylaxis for tachycardias after coronary artery surgery: a randomised, double blind, placebo controlled trial *J Butler, D R Harriss, M Sinclair, S Westaby*

61 Efficacy of a tiered therapy defibrillator system used to treat recurrent ventricular arrhythmias refractory to drugs *A C Rankin, S Zaim, A Powell, B Zaim, R Brooks, B A McGovern, H Garan, J N Ruskin*

70 Complementary role of transoesophageal echocardiography to coronary angiography in the assessment of coronary artery anomalies *P J Giannoccaro, R A Sochowski, B C Morton, K-L Chan*

75 Angiographic diagnosis of anomalous coronary artery in tetralogy of Fallot *J S Carvalho, C M C Silva, M L Rigby, E A Shinebourne*

Audit

79 Cost effectiveness of prophylaxis in dental practice to prevent infective endocarditis *I M Gould, J K Buckingham*

Case reports

84 Acceleration of the ventricular response to atrial flutter by amiodarone in an infant with Wolff-Parkinson-White syndrome *J A Till, M Baxendale, A Benetar*

88 Complete heart block in a 9 year old girl caused by borreliosis *H P Gildein, S Günther, R Mocellin*

91 Proarrhythmic effect of adenosine in a patient with atrial flutter *A K B Slade, C J Garratt*

93 Varicella zoster myocarditis progressing to cardiomyopathy and cardiac transplantation *A Tsintsof, W J Delprado, A M Keogh*

Abstracts in cardiology • Correspondence • Book review • British Cardiac Society newsletter • Notice

No 2 AUGUST 1993

Page

Editorial

101 Are streptokinase antibodies clinically important? *M B Buchalter*

Reviews

103 Circulatory failure in septic shock *A J B Brady, P A Poole-Wilson*

106 Current approaches and future developments in automatic tachycardia detection and diagnosis *P S Astridge, G C Kaye, E J Perrins*

111 Cardiac amyloidosis: a review and report of a new transthyretin (prealbumin) variant *A Hesse, K Altland, R P Linke, M R Almeida, M J M Saraiva, A Steinmetz, B Maisch*

Commentary

116 Does weight loss reduce plasma fibrinogen? *E Ernst*

Original articles

119 Streptokinase neutralisation titres up to 866 days after intravenous streptokinase for acute myocardial infarction *S Patel, S Jalihal, D P Dutka, G K Morris*

122 Initial and long-term results of coronary angioplasty and coronary bypass surgery in patients of 75 or older *H Bonnier, C de Vries, R Michels, M El Gamal*

126 Determinants of success of coronary angioplasty in patients with a chronic total occlusion: a multiple logistic regression model to improve selection of patients *K H Tan, N Sulke, N A Taub, E Watts, S Karani, E Sowton*

132 Transient rise in serum interleukin-8 concentration during acute myocardial infarction *Y Abe, M Kawakami, M Kuroki, T Yamamoto, M Fujii, H Kobayashi, T Yaginuma, A Kashii, M Saito, K Matsushima*

135 Sustained cardiac diastolic changes elicited by ultrafiltration in patients with moderate congestive heart failure: pathophysiological correlates *M Pepi, G C Marenzi, P G Agostoni, E Doria, P Barbier, M Muratori, F Celeste, M D Guazzi*

141 Tumour necrosis factor α in severe congestive cardiac failure *D P Dutka, J S Elborn, F Delamere, D J Shale, G K Morris*

144 Heart rate variability and circulating catecholamine concentrations during steady state exercise in healthy volunteers *H-W M Breuer, A Skyschally, R Schulz, C Martin, M Wehr, G Heusch*

150 Chronotropic response to exercise in patients with atrial fibrillation: relation to functional state *M P van den Berg, H J G M Crijns, A T M Gosselink, S A J van den Broek, H J Hillege, D J van Veldhuisen, K I Lie*

154 Heterogeneity and time course of improvement in cardiac function after cardioversion of chronic atrial fibrillation: assessment of serial echocardiographic indices *J Shite, Y Yokota, M Yokoyama*

160 Radiofrequency catheter ablation of accessory atrioventricular pathways in children and young adults *N Sreeram, J L R M Smeets, C F M Pulles-Heintzberger, H J J Wellens*
166 10 year review of cardiac tumours in childhood *L Abushaban, B Denham, D Duff*
170 Balloon angioplasty for aortic recoarctation in children: initial and follow up results and midterm effect on blood pressure *M Witsenburg, S H K The, A J J C Bogers, J Hess*
175 Cardiorespiratory exercise performance after Senning operation for transposition of the great arteries *T Reybrouck, M Gewillig, M Dumoulin, L G van der Hauwaert*
180 Atypical form of atrioventricular septal defect without left axis deviation: relation between morphology and unusual QRS axis *K Suzuki, Y Murakami, K Tatsuno, Y Takahashi, T Kikuchi, K Mori, S Mimori*
185 Cardioprotection by ICRF187 against high dose anthracycline toxicity in children with malignant disease *F A Bu'Lock, H M Gabriel, A Oakhill, M G Mott, R P Martin*
189 Pseudoaneurysm of aortocoronary vein graft secondary to late venous rupture: case report and literature review *P Kallis, B E Keogh, M J Davies*

Case reports

193 Magnetic resonance angiography in subclavian steal syndrome *P D Flynn, D J Delany, H H Gray*
195 Balloon recanalisation of a chronically occluded left internal mammary artery graft *V K Mehan, B Meier, P Urban*
198 Thrombolysis as an emergency treatment for a thrombosed prosthetic mitral valve diagnosed by transoesophageal echocardiography *P Currie, G R Sutherland, I R Starkey*

Audit

201 Cardiac interventional procedures in the United Kingdom during 1991 *P J B Hubner on behalf of the British Cardiovascular Intervention Society*

Abstracts in cardiology • British Cardiac Society newsletter • Notices

No 3 SEPTEMBER 1993 Page

Editorials

205 Concerning falsely negative and falsely positive electrocardiographic responses to exercise *L S Gettes, P Sapin*
208 Stress echocardiography: time for critical reappraisal *P K Mazeika, P Nihoyannopoulos, C M Oakley*
211 Muirhead's syndrome and medullipin: a new syndrome and a unique hypotensive agent *J D Swales*

Review

212 Fish oil and ischaemic heart disease *S D Kristensen, R De Caterina, E B Schmidt, S Endres*

Viewpoint

215 General practitioners and the treatment of myocardial infarction: the place of thrombolytic treatment *M C Colquhoun*

Commentary

218 Early thrombolysis therapy: some issues facing general practitioners *C Waine, P Hannaford, C Kay*

Original articles

219 Electrocardiogram interpretation in general practice: relevance to prehospital thrombolysis *W A McCrea, S Saltissi*
226 Novel approach to the interpretation of long-term "deterioration" in ejection fraction in individual patients with coronary artery disease *R Lim, L Dyke, J Thomas, D S Dymond*
233 Assessment of Holter ST monitoring for risk stratification in patients with acute myocardial infarction treated by thrombolysis *R Stevenson, K Ranjadayalan, P Wilkinson, B Marchant, A D Timmis*
241 Reduction of mismatch of global ventilation and perfusion on exercise is related to exercise capacity in chronic heart failure *N G Uren, S W Davies, J E Agnew, A G Irwin, S L Jordan, A J W Hilson, D P Lipkin*
247 Increased renal and forearm vasoconstriction in response to exercise after heart transplantation *G A Haywood, P J Counihan, J F Sneddon, S H Jennison, Y Bashir, W J McKenna*
252 Heart rate variability in time and frequency domains: effects of gallopamil, nifedipine, and metoprolol compared with placebo *M W F Schweizer, J Brachmann, U Kirchner, I Walter-Sack, H Dickhaus, C Metze, W Kübler*
259 Additional value of biplane transoesophageal imaging in assessment of mitral valve prostheses *K Groundstroem, D Rittoo, P Hoffman, P Bloomfield, G R Sutherland*
266 Study of left and right ventricular function in Romano-Ward syndrome *S J Cross, J C S Dean, H S Lee, M Y Norton, N T S Evans, F Smith, K Jennings, S Walton*

Technique

272 Improved visualisation of a coronary artery fistula by the "laid-back" aortogram *M Hofbeck, F Wild, H Singer*

Case reports

274 Large, isolated, congenital aneurysm of the anterior descending coronary artery *Y-T Chen, C-L Hwang, M-N Kan*
276 Endocarditis of the tricuspid valve associated with congenital coronary arteriovenous fistula *M L Ong* (Comment *P Mills, M Davies*)
279 Life-threatening right ventricular thrombosis in association with phospholipid antibodies *S O'Hickey, C Skinner, J Beattie*
282 Rapid progression of mitral and aortic stenosis in a patient with secondary hyperparathyroidism *K Fujise, R Amerling, W Sherman*

Measurement

285 Evaluation of aortic coarctation after surgical repair: role of magnetic resonance imaging and Doppler ultrasound *E G Mühler, J M Neuerburg, A Rüben, R G Grabitz, R W Günther, B J Messmer, G von Bernuth*

British Cardiac Society

295 **Newsletter**
297 Complications of diagnostic cardiac catheterisation: results from 34 041 patients in the United Kingdom confidential enquiry into cardiac catheter complications *D de Bono on behalf of the Joint Audit Committee of the British Cardiac Society and Royal College of Physicians of London*

Letters to the editor • Book review · Notices

No 4 OCTOBER 1993 Page

Editorials

301 Dual chamber pacing for hypertrophic obstructive cardiomyopathy: Has its time come? *R A Nishimura, G K Danielson*

304 Antiarrhythmic drugs in the management of atrial fibrillation *J C Cowan*

Review

307 Myocardial perfusion in humans: What can we measure? *P F Ludman, P A Poole-Wilson*

Original articles

315 Magnetic resonance imaging of coronary arteries: technique and preliminary results *D J Pennell, J Keegan, D N Firmin, P D Gatehouse, S R Underwood, D B Longmore*

327 High frequency rotational ablation: an alternative in treating coronary artery stenoses and occlusions *U Dietz, R Erbel, H-J Rupprecht, S Weidmann, J Meyer*

337 Prognostic significance of transient ST segment changes after coronary artery bypass surgery: a long-term (4–10 year) follow up study *D Patel, D Mulcahy, N Curzen, A Sullivan, D Cunningham, J Sparrow, C Wright, A Quyyumi, K Fox*

342 Disease of the left main coronary artery: early surgical results and their association with carotid artery stenosis *W T Vigneswaran, R N Sapsford, R D L Stanbridge*

346 Clinical presentation and functional prognosis in syndrome X *A Chauhan, P A Mullins, S I Thuraisingham, M C Petch, P M Schofield*

352 Distinguishing between acute and subacute massive pulmonary embolism by conventional and Doppler echocardiography *W Kasper, A Geibel, N Tiede, D Bassenge, E Kauder, S Konstantinides, T Meinertz, H Just*

357 Pathogenesis of oedema in chronic severe anaemia: studies of body water and sodium, renal function, haemodynamic variables, and plasma hormones *I S Anand, Y Chandrashekhar, R Ferrari, P A Poole-Wilson, P C Harris*

363 Lack of circadian rhythm of plasma concentrations of vasoactive intestinal peptide in patients with orthotopic heart transplants *P Cugini, P Lucia, G Scibilia, L Di Palma, A R Cioli, A Cianetti, L Gasbarrone, R Canova, B Marino*

366 Prostacyclin (epoprostenol) and heart-lung transplantation as treatments for severe pulmonary hypertension *T W Higenbottam, D Spiegelhalter, J P Scott, V Fuster, A T Dinh-Xuan, N Caine, J Wallwork*

371 Sinus node dysfunction during long-term lithium treatment *M Rosenqvist, L Bergfeldt, H Aili, A A Mathé*

376 Prevalence of toxoplasma myocarditis in patients with the acquired immunodeficiency syndrome *P Hofman, M-D Drici, P Gibelin, J-F Michiels, A Thyss*

382 Tissue plasminogen activator (alteplase) treatment for femoral artery thrombosis after cardiac catheterisation in infants and children *W Zenz, W Muntean, A Beitzke, G Zobel, M Riccabona, A Gamillscheg*

Case reports

386 Multiple arterial stenoses of unknown aetiology in the coronary, cerebral, and brachial arteries *K Suzuki, Y Murakami, S Mimori*

391 Atypical ventricular tachycardia and syncope with left coronary artery origin from the right coronary sinus *N L Amarasena, R P Pillai, J C Forfar*

393 Traumatic rupture of the thoracic aorta diagnosed by transoesophageal echocardiography *A de Belder, M Thomas, M Marrinan*

Images in cardiology

390 Damage to an internal mammary artery graft at dissection *T Treasure*

British Cardiac Society newsletter • Notices

No 5 NOVEMBER 1993 Page

Editorial

397 Plasma concentrations of brain natriuretic peptide: Will this new test reduce the need for cardiac investigations? *A D Struthers*

Commentary

399 Which patients should have exercise testing after myocardial infarction treated by thrombolysis? *R G Murray*

For debate

400 Chronotropic incompetence: a proposal for definition and diagnosis *D Katritsis, A J Camm*

Review

403 Pathological concepts in acute coronary thrombosis: relevance to treatment *W F M Fulton*

Original articles

409 Prognostic significance of N-terminal pro-atrial natriuretic factor (1–98) in acute myocardial infarction: comparison with atrial natriuretic factor (99–126) and clinical evaluation *T Omland, V V S Bonarjee, D W T Nilsen, J A Sundsfjord, R T Lie, G Thibault, K Dickstein*

415 Reassessment of treadmill stress testing for risk stratification in patients with acute myocardial infarction treated by thrombolysis *R Stevenson, V Umachandran, K Ranjadayalan, P Wilkinson, B Marchant, A D Timmis*

421 Contribution of the 24 hour electrocardiogram to the prediction of sudden coronary death *A Algra, J G P Tijssen, J R T C Roelandt, J Pool, J Lubsen*

428 First myocardial infarction in patients under 60 years old: the role of exercise tests and symptoms in deciding whom to catheterise *S J Cross, H S Lee, A Kenmure, S Walton, K Jennings*

433 Holter ST monitoring early after acute myocardial infarction: mechanisms of ischaemia in patients treated by thrombolysis *R N Stevenson, B G Marchant, K Ranjadayalan, S Uthayakumar, A D Timmis*

438 Myocardial ischaemia and angina in the early post-infarction period: a comparison with patients with stable coronary artery disease *B Marchant, R Stevenson, S Vaishnav, K Ranjadayalan, A D Timmis*

443 Importance of oxygen-haemoglobin binding to oxygen transport in congestive heart failure *R M Bersin, M Kwasman, D Lau, C Klinski, K Tanaka, P Khorrami, T DeMarco, C Wolfe, K Chatterjee*

448 Comparison of acoustic quantification and Doppler echocardiography in assessment of left ventricular diastolic variables *A Chenzbraun, F J Pinto, S Popylisen, I Schnitger, R L Popp*

457 Determinants of the Doppler flow velocity profile through the mitral valve of the human fetus *A-M Carceller-Blanchard, J-C Fouron*

461 Profile of paediatric patients with pulmonary hypertension judged by responsiveness to vasodilators *C Houde D J Bohn, R M Freedom, M Rabinovitch*

Case reports

469 Cardiac arrest in a young woman with the long QT syndrome and concomitant astemizole ingestion *P Broadhurst, A W Nathan*

471 Two unusual complications after surgical interruption of an accessory pathway *E C Cheriex, J L R M Smeets, H J J Wellens*

474 Recanalisation of an occluded modified Blalock-Taussig shunt by balloon dilatation *N Sreeram, K Walsh, I Peart*

Short cases in cardiology

473 Primary hyperparathyroidism presenting as torsades de pointes *P Kearney, M Reardon, J O'Hare*

Technique

476 Initial experience with balloon dilatation of supravalvar aortic stenosis *J L B Jacob, W M C Coelho, N C S Machado, S A C Garzon*

Technology

479 Use of a remotely controlled mechanical pump for coronary arteriography: a study of radiation exposure and quality implications *S C D Grant, E B Faragher, A P Hufton, D H Bennett*

British Cardiac Society

487 Newsletter

488 Recommendations and guidelines

489 Radiation hazards to the cardiologist *A report of a subcommittee of the British Cardiac Society*

Book review • Letters to the editor • Notices

No 6 DECEMBER 1993 Page

Editorial

497 Imaging the dissected aorta *T Treasure*

Review

499 Anthracyclines and the heart *W Rhoden, P Hasleton, N Brooks*

Original articles

503 Assessment by general practitioners of suitability of thrombolysis in patients with suspected acute myocardial infarction *J D Gemmill, W K Lifson, A P Rae, W S Hillis, F G Dunn*

507 Rate of change of left ventricular ejection fraction during exercise is superior to the peak ejection fraction for predicting functionally significant coronary artery disease *B S Sridhara, S Bhattacharya, X J Liu, P Broadhurst, A Lahiri*

513 Coronary flow reserve in patients with chest pain and normal coronary arteries *D R Holdright, D C Lindsay, D Clarke, K Fox, P A Poole-Wilson, P Collins*

520 Temperature and risk factors for ischaemic heart disease in the Caerphilly prospective study *P C Elwood, A Beswick, J R O'Brien, S Renaud, R Fifield, E S Limb, D Bainton*

524 Linoleic acid and risk of sudden cardiac death *T L Roberts, D A Wood, R A Riemersma, P J Gallagher, F C Lampe*

530 Enzymatic evidence of impaired reperfusion in diabetic patients after thrombolytic therapy for acute myocardial infarction: A role for plasminogen activator inhibitor? *R P Gray, J S Yudkin, D L Patterson*

537 Primary pulmonary hypertension and fenfluramine use *F Brenot, P Herve, P Petitpretz, F Parent, P Duroux, G Simonneau*

542 Effect of aortic valve replacement on syncope in patients with aortic stenosis *P T Wilmshurst, P R Willicombe, M M Webb-Peploe*

544 Role of balloon dilatation of the aortic valve in pregnant patients with severe aortic stenosis *A P Banning, J F Pearson, R J C Hall*

546 Balloon dilatation (valvoplasty) as first line treatment for severe stenosis of the aortic valve in early infancy: medium term results and determinants of survival *F A Bu'Lock, H S Joffe, S C Jordan, R P Martin*

554 Vascular access in previously catheterised children and adolescents: a prospective study of 131 consecutive cases *D S Celermajer, J T C Robinson, J F N Taylor*

558 Intercoronary collateral flow detected by Doppler colour flow mapping is an additional diagnostic sign in children with anomalous origin of the left coronary artery from the pulmonary artery *U Salzer-Muhar, E Proll, G Kronik*

Case reports

560 Amyloid, thrombosis, and acute myocardial infarction in association with a bicuspid aortic valve *P H Groves, A G Douglas-Jones, R J C Hall*

563 Transient cortical blindness after coronary angiography *R Parry, J R Rees, P Wilde*

565 Histoplasma endocarditis on a stenosed aortic valve presenting as dysphagia and weight loss *P T Wilmshurst, G E Venn, S J Eykyn*

Short cases in cardiology

553 Recurrence of Churg Strauss vasculitis in a transplanted heart *R A Henderson, P Hasleton, B N A Hamid*

Resuscitation

568 Out-of-hospital resuscitation in East Sussex 1981 to 1989 *S J Lewis, S Holmberg, E Quinn, K Baker, R Grainger, R Vincent, D A Chamberlain*

Technique

574 Intractable chest pain in cardiomyopathy: treatment by a novel technique of cardiac cryodenervation with quantitative immunohistochemical assessment of success *J A R Gaer, L Gordon, J Wharton, J M Polak, K M Taylor, W McKenna, D J Parker*

578 Ventricular pacing from the coronary sinus of a patient with a Fontan circulation *M E C Blackburn, J L Gibbs*

Technology

580 Results of a comparative study of low energy direct current with radiofrequency ablation in patients with the Wolff-Parkinson-White syndrome *R Lemery, M Talajic, D Roy, L Lavoie, B Coutu, J T Y Hii, D Radzik, E Lavallee, R Cartier*

Audit

585 Antibiotic prophylaxis for cardiac surgery: current United Kingdom practice *G W Parry, S R Holden, F P Shabbo*

Views from the past

587 How John Parkinson did the post mortem on Sir James Mackenzie *A Hollman*

589 **Book reviews · Correspondence · British Cardiac Society newsletter · Clinical guidelines · Notices**

593 **Index**